



SEAL KING INC.
7134 WELLINGTON COUNTY ROAD #124 SOUTH
Guelph, ONTARIO, N1H6N3
Canada
519-821-1250

PRODUCT: OIL OFF

CODE: SK/OLOFF

SECTION 01: IDENTIFICATION

PRODUCT IDENTIFIER..... OIL OFF
 PRODUCT CODE(S)..... SK/OLOFF
 EMERGENCY NUMBER..... During business hours 519 821 1250. After business hours 613 996 6666.
 Product Class..... Cleaner.
 RECOMMENDED USE AND Cleaner .
 RESTRICTIONS
 SUPPLIER IDENTIFIER..... Seal King Inc.
 7134 Wellington County Road #124 South
 Guelph
 Ontario
 Canada
 N1H6N3
 (519) 821-1250

SECTION 02: HAZARD IDENTIFICATION



SIGNAL WORD..... DANGER.
 HAZARD CLASSIFICATION..... Serious Eye Damage — Category 1. Flammable Liquids — Category 4. Skin Sensitizer — Category 1. Skin Irritation — Category 2.
 HAZARD STATEMENT..... H315 Causes skin irritation. H317 May cause an allergic skin reaction. H227 Combustible liquid. H318 Causes serious eye damage.
 PRECAUTIONARY STATEMENT
 Prevention..... P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 If on skin: Wash with plenty of soap and water. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes and remove contacts if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of unused contents, container, and other contaminated waste in accordance with local, state, federal, and provincial regulations.
 Potential acute health effects:
 Inhalation..... Irritating to respiratory system.
 Ingestion..... May cause gastrointestinal irritation nausea, vomiting and diarrhea.
 Skin..... Severely irritating to the skin.
 Eyes..... Risk of serious damage to eyes.
 Potential chronic health effects:..... Repeated contact may cause allergic reactions in very susceptible persons.
 Medical conditions aggravated by None Known.
 over-exposure
 SUPPLEMENTAL INFORMATION..... Emergency overview: Orange liquid. Corrosive to eyes. May be irritating to skin. Ingestion may lead to irritation in mouth, esophagus and stomach lining. Contains an ingredient which may sensitize skin.
 Carcinogenicity:..... No known significant effects or critical hazards.
 OTHER HAZARDS..... None.

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Dipropylene glycol methyl ether ((2-methoxymethylethoxy)propanol)	34590-94-8	10 - 20
Sodium metasilicate pentahydrate (Disodium dioxido(oxo)silane pentahydrate)	10213-79-3	1 - 5
d-Limonene	5989-27-5	0.5 - 1.0

PRODUCT: OIL OFF

CODE: SK/OLOFF

SECTION 04: FIRST-AID MEASURES

PROTECTION OF FIRST-AIDERS:..... No hazards which require special first aid measures.
 ROUTES OF EXPOSURE:..... Dermal contact. Eye contact. Ingestion. Inhalation.
 SKIN CONTACT:..... Wash off immediately with soap and water removing all contaminated clothes and shoes. If irritation persists, seek medical attention.
 EYE CONTACT:..... Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek immediate medical attention. Remove contact lenses if possible.
 INGESTION:..... Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. If unwell, seek immediate medical attention.
 INHALATION:..... If unwell after inhalation, remove person to fresh air and keep at rest in a comfortable breathing position. If feeling persists, seek medical attention.
 Notes to Physician:..... Treat symptomatically.

SECTION 05: FIRE-FIGHTING MEASURES

FLAMMABILITY:..... Not Flammable.
 Lower Flammable /Explosive Limit:..... Not Applicable.
 Upper Flammable /Explosive Limit:..... Not Applicable.
 SUITABLE AND UNSUITABLE Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 EXTINGUISHING MEDIA
 SPECIAL PROTECTIVE EQUIPMENT Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.
 AND PRECAUTIONS FOR
 FIRE-FIGHTERS
 Special remarks on fire hazard:..... Closed containers may rupture if exposed to fire or extreme heat.
 Sensitivity to Mechanical Impact: No.
 Sensitivity to Static No.
 Discharge:

SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
 PROTECTIVE EQUIPMENT AND
 EMERGENCY PROCEDURE
 ENVIRONMENTAL PRECAUTIONS:..... Prevent further leakage or spillage if safe to do so.
 METHODS AND MATERIALS FOR Dike area and contain spill. Pump to container for recovery or disposal. Neutralize
 CONTAINMENT AND CLEANING UP remainder with mild acid and pick up with wet vacuum.
 Other Information:..... None known.

SECTION 07: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING.. Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling.
 CONDITIONS FOR SAFE STORAGE, Keep container tightly closed and sealed unit ready for use. Containers that have been
 INCLUDING ANY INCOMPATIBILITIES opened must be carefully resealed and kept upright to prevent leakage. Do not store unlabeled containers. Use appropriate containment to avoid environmental contamination.
 . Keep out of the reach of children. Incompatible products : Strong bases. Strong acids.
 metals. Eliminate all ignition sources. .

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Dipropylene glycol methyl ether ((2-methoxymethylethoxy) propanol)	100 PPM 606 mg/m3	150 PPM 909 mg/m3				
Sodium metasilicate pentahydrate (Disodium dioxido(oxo)silane pentahydrate)	No Data	No Data	No Data	No Data	No Data	No Data
d-Limonene	30 ppm (AIHA WEEL)	150 ppm	N/Av	N/Av	N/Av	N/Av
APPROPRIATE ENGINEERING CONTROLS	Ensure adequate ventilation, especially in confined areas.					
HYGIENE MEASURES	Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.					

PRODUCT: OIL OFF

CODE: SK/OLOFF

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INDIVIDUAL PROTECTION MEASURES	Selection of personal protective equipment (PPE) is to be established by the employer performing a PPE hazard assessment.
RESPIRATORY/TYPE.....	In case of insufficient ventilation wear suitable respiratory equipment.
GLOVES/ TYPE.....	Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. .
EYE/TYPE.....	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
CLOTHING/TYPE.....	Impervious clothing, such as a synthetic apron or coveralls, should be used to prevent contact with skin or clothing.
FOOTWEAR/TYPE.....	Appropriate footwear and any additional skin protection measures should be selected based on the task performed and the risks involved .

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE (PHYSICAL STATE AND COLOUR)	Orange liquid.
ODOUR.....	Citrus.
pH.....	14.
FLASH POINT (°C), METHOD.....	Not Applicable.
INITIAL BOILING POINT AND BOILING RANGE (°C)	100 C.
MELTING POINT AND FREEZING POINT (°C)	0 degree Celsius.
EVAPORATION RATE.....	Not Available.
FLAMMABILITY (SOLIDS AND GASES) ..	Not Flammable.
LOWER FLAMMABLE LIMIT (% VOL).....	Not applicable.
UPPER FLAMMABLE LIMIT (% VOL).....	Not applicable.
VAPOUR PRESSURE.....	No data.
VAPOUR DENSITY (AIR=1).....	No data.

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY.....	The product is stable, under normal conditions of storage and use.
HAZARDOUS POLYMERIZATION:.....	Decomposes to carbon dioxide or carbon monoxide.
CONDITIONS TO AVOID.....	Extreme heat and/or cold.
INCOMPATIBLE MATERIALS.....	Strong acids. Strong bases.
HAZARDOUS DECOMPOSITION	Carbon monoxide. Carbon dioxide.
PRODUCTS	
POSSIBILITY OF HAZARDOUS REACTIONS	

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Dipropylene glycol methyl ether ((2-methoxymethylethoxy)propanol)	LC50 Inhalation - Rat - 4 h - 55 - 60 mg/l - vapor	LD50 Oral - Rat - male and female - > 5,000 mg/kg\ LD50 Dermal - Rabbit - male - 9,510 mg/kg
Sodium metasilicate pentahydrate (Disodium dioxido(oxo)silane pentahydrate)	No Data	847 mg/kg (Oral Rat)
d-Limonene	N/Av	Oral (RAT) 4400 mg/kg Dermal (RABBIT) > 5000 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Do not allow product or any runoff from fire control to enter storm or sanitary sewers, lakes, rivers, or public waterways. Federal regulations and other agencies may require to be notified of a spill incident.

PRODUCT: OIL OFF

CODE: SK/OLOFF

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSAL METHODS..... Disposal of in accordance with Federal, provincial and municipal regulations. Dry empty containers may be recycled.

SECTION 14: TRANSPORT INFORMATION

TDG CLASSIFICATION..... Not Regulated.
 UN Not classified.
 PACKAGING GROUP..... Not classified.
 CLASS..... Not classified.
 SHIPPING NAME..... Non Applicable .

SECTION 15: REGULATORY INFORMATION

WHMIS 2015..... Refer to HAZARDS IDENTIFICATION, Section 2.
 CEPA/DSL STATUS..... All components of this product are on the CEPA DSL inventory.
 REGULATORY TEXT..... This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.
 U.S. TSCA INVENTORY STATUS..... All components are listed or exempted.
 HAPS (Clean Air Act 112 regulated substances):

SECTION 16: OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS): Health: 1. Flammability: 0. Physical hazards: 0. Personal Protection: H.
 PPE DISCLAIMER: The customer is responsible for determining the PPE code for this material.
 General Disclaimer: The information in this safety data sheet is not intended to be exhaustive and is based on the present state of Korzite's knowledge and on current laws; any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Safety Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of Korzite's knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. A copy of this document should be requested and reviewed carefully. The information contained in this safety data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data is current prior to using the product. .
 PREPARED BY: Regulatory Affairs
 PREPARATION DATE..... 2025-08-01